

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25736

Stream : Grassy Creek

Applicant : Indiana Department of Transportation
Laura Hilden
100 North Senate Avenue
Room N642
Indianapolis, IN 46204-2249

Description : The existing three-span eastbound and westbound bridges carrying I-70 over Grassy Creek will be widened toward the median to improve traffic flow (INDOT Des No. 0200699). The out-to-out width of the structures will change from 42'-6" to 65'-2" per structure. The pier supports and roadway approaches will also be widened to accommodate the larger bridge deck widths. In addition, the spill slopes will be reconstructed and riprap along the slopes will be replaced, deteriorated areas of the existing deck will be repaired, and the concrete bridge railing will be replaced. Also, cut and fill along the roadway embankments will occur to regrade areas along the outer portions of the bridges. Two temporary stone access roads will be constructed between the bridges to allow access to each pier and slope wall. During construction of the piers, cofferdams will be placed approximately 5' from each side of the pier face, a 13' wide by 8.5' deep by 76' long trench will be excavated around each pier, and the area will be dewatered. Due to the trench excavation limits for Pier No. 2, the creek will be temporarily diverted to the east during construction to prevent obstructions in flow. The diverted portion will be backfilled and compacted with clean earthen fill and regraded to existing conditions when construction on the pier is completed. Details of the project are contained in information and plans received at the Division of Water on April 12, 2010.

Location : At the I-70 stream crossing
near Indianapolis, Warren Township, Marion County
Section 28, T 16N, R 5E, Cumberland Quadrangle
Quad Code: 3908578
UTM Coordinates: Downstream 4406365 North, 587625 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25737
- Stream : St. Joseph River
- Applicant : City of Mishawaka
Gary E
Department of Economic Development
600 East 3rd Street
Mishawaka, IN 46544
- Description : Three stormwater outfall structure will be constructed. Two outfalls will be 6" diameter slotted pipes with filters and rodent screen. One outfall pipe will be a 6" diameter solid pipe with rodent screen. All the pipes will terminate at the bank slope. Details of the project are contained in information and plans received at the Division of Water on April 14, 2010.
- Location : Outfall #1 will be located at the State Street crossing and outfall #2 will be located approximately 150' upstream of the crossing. Outfall #3 will be located approximately 150' south and 270' west of the State Street crossing.
DOWNSTREAM: at Mishawaka, Penn Township, St. Joseph County
SW¼, Section 11, T 37N, R 3E, South Bend East Quadrangle
Quad Code: 4108662
UTM Coordinates: Downstream 4613596 North, 570499 East
UPSTREAM:
UTM Coordinates: Upstream 4613386 North, 570521 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25741
- Stream : Turkey Creek
- Applicant : R & B 455 LLC
Bill Jarvis
1901 Lincolnwood Road
Schererville, IN 46375-1745
- Description : A 166' x 200' area will be filled in the south floodplain of Turkey Creek for the development of accessory buildings and a municipal contracted impound car parking. The fill will vary in depth from 5" on the landward side to approximately 15' on the streamward side. It will be set 75' back from the top of the bank and will have 1:1 side slopes. The fill's finished elevation will be 620', NGVD. Select fill material will be obtained through various sources, placed and compacted in place. Details of the project are contained in information and plans received at the Division of Water on April 16, 2010.
- Location : 4716 West 61st Ave, beginning approximately 1300' east of the 61st Street and Interstate 69 intersection and extending approximately 200' east and 200' south near Hobart, Ross Township, Lake County
Section 2, T 35N, R 9W, Gary Quadrangle
Quad Code: 4108753
UTM Coordinates: Downstream 4595226 North, 473754 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25743
- Stream : Salt Creek
- Applicant : Valparaiso Sewer Department
Steve Poulos
1251 Joliet Road
Valparaiso, IN 46383-4530
- Description : An 8" wastewater sludge pipeline will be installed via directional drill under the streambed. A minimum of 5' of cover will be provided from the top of the pipe to the thalweg of the the stream. A segment of of 6" ductile iron pipe will be installed via open cut on the south bank of the creek. A smill amount of clearing and grubbing will be required for the installation of the 6" ductile iron pipe and will be revegetated upon completion of the project. Additionally, emergency shutoff valves will be provided on each side othe creek. Details of the project are contained in information and plans received at the Division of Water on April 16, 2010.
- Location : 1460' upstream of the Joliet Road Crossing.
near Valparaiso, Center Township, Porter County
Section 23, T 35N, R 6W, Valparaiso Quadrangle
Quad Code: 4108741
UTM Coordinates: Downstream 4590524 North, 493710 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25744

Stream : Walnut Creek

Applicant : Kosciusko County Commissioners
Ron Robinson
100 West Center Street
Warsaw, IN 46580-2873

Description : The project involves the replacement of the reinforced concrete bridge approach. Riprap drainage turnouts will be added on each side at the beginning of the approach. Additionally, a maximum of 150 square feet of riprap will be replaced around the wingwalls for scour protection. Details of the project are contained in information and plans received at the Division of Water on April 16, 2010.

Location : At the US 30 crossing over Walnut Creek
DOWNSTREAM: near Warsaw, Wayne Township, Kosciusko County
Section 7, T 32N, R 6E, Burket Quadrangle
Quad Code: 4108528
UTM Coordinates: Downstream 4566958 North, 594231 East
UPSTREAM:
UTM Coordinates: Upstream 4566948 North, 594241 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25751

Stream : Potts Ditch

Applicant : City of Greenfield
Michael Fruth
10 South State Street
Greenfield, IN 46140-2329

Description : A 32' long by 6' wide single span pedestrian bridge is proposed. The proposed bridge abutments will be constructed to clear the sideslopes of the waterway. Details of the project are contained in information and plans received at the Division of Water on April 22, 2010.

Location : Immediately downstream from the Broadway Street stream crossing
at Greenfield, Center Township, Hancock County
NW¼, Section 32, T 16N, R 7E, Greenfield Quadrangle
Quad Code: 3908577
UTM Coordinates: Downstream 4405669 North, 604474 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25761

Stream : Little Indian Creek

Applicant : Lanesville Youth League Inc
Jeremy Caldwell
1950 Ball Diamond Hill Road Northeast
Lanesville, IN 47136-8133

Description : Three new baseball fields will be constructed on the southeast side of Little Indian Creek. Activities within the floodway include: (1) re-grading of the natural contours to accommodate the ball fields and a parking area. The maximum cut will be 2.5' and the maximum fill will be 1.5'; (2) the construction of a 477' x 186' and 208' x 45' gravel parking area which will be graded below the proposed finish grade to allow for paving; (3) the construction of four 20' x 8' three sided dugout structures at the proposed finish grade; (4) the placement of 1335 lineal feet of standard chain link fence and 415 lineal feet of chain link fence with breakaway ties; (5) the construction of a 19' x 3.6' box culvert with headwalls for a crossing over an unnamed tributary of Little Indian Creek. The culvert will be constructed such that the top of the proposed culvert is below the banks of the unnamed tributary, creating no fill above the ground on both sides of the unnamed tributary; (6) the placement of an outfall structure to Little Indian Creek near the mouth of an unnamed tributary. The outfall structure serves a proposed 24" diameter pipe that drains the proposed parking area and ball fields. This pipe will be buried to a depth of 4'. The pipe will terminate with a concrete end section that will conform to the bank slope. Riprap placed over a geotextile fabric will be placed at the base of the end section for erosion control; (7) Miscellaneous construction activities to include the removal of trees for construction of the box culvert described above, placement of temporary erosion control measures, placement of site lighting poles, and vegetative plantings for stabilization. Details of the project are contained in information received electronically at the Division of Water on April 28, 2010 and in plans and information received at the Division of Water on

Location : Along the south bank and floodplain of Little Indian Creek beginning approximately 1600' northeast along the creek from its intersection with State Road 62 and continuing upstream approximately 700' near Lanesville, Franklin Township, Harrison County Section 30, T 3S, R 5E, Corydon East Quadrangle Quad Code: 3808621

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25762

Stream : Lick Creek

Applicant : Indianapolis Department of Public Works
Bill Chappell
1200 South Madison Avenue
Suite 200
Indianapolis, IN 46225-1616

Description : The existing bridge carrying Raymond Street over Lick Creek will be rehabilitated. The bridge has a Westbound structure and an Eastbound structure separated by a longitudinal expansion joint and a 4' raised concrete median curb. The westbound structure has two 12' lanes, a 10' right shoulder, a 12' left shoulder and a 9" raised concrete median curb with a total clear roadway width of 46'. The eastbound structure has two 12' lanes, a 10' right shoulder and a 3'-3" wide raised concrete median curb with a total clear roadway width of 34'. Each structure is a three-span continuous prestressed concrete box beam superstructure with a 6.5" thick concrete slab and a total floor slab length of 82'-3". The project includes the removal and replacement of the westbound slab and placement of a concrete overlay on the eastbound structure. The integral end bent diaphragms will be removed and reconstructed on the westbound structure. The approach slabs will be replaced in kind at both ends of each structure. The box beams and substructures of both structures will remain in place. The profile grade of each structure will raise slightly due to the 8" westbound slab and the eastbound 1 1/2" overlay. The existing bridge railing, a three-tube aluminum type, will be temporarily removed and reinstalled after deck construction is complete. No work is proposed beneath the bridge beams, including the piers, abutments and channel. Channel disturbance due to falling debris during the westbound deck removal will be controlled by the provisions of the INDOT specifications. The approaches will be wedge and leveled to meet existing approximately 120' from each end of the structures. The roadway will be resurfaced by DPW in a separate contract. The project is locally funded. Details of the project are contained in information received electronically at the Division of Water on April 29, 2010 and in plans and information received at the Division of Water on

Location : At the intersection of Lick Creek and Raymond Street located approximately 650' east of the intersection of Emerson Avenue and Raymond Street near Indianapolis, Warren Township, Marion County SW¼, Section 22, T 15N, R 4E, Beech Grove Quadrangle Quad Code: 3908661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25763

Stream : Mill Creek

Applicant : City of Jeffersonville
Len Ashack
1420 Pennsylvania Avenue
Jeffersonville, IN 47130-3855

Description : An outfall structure will be constructed near Mill Creek to provide drainage from the Jeffersonville Wastewater Treatment Plant which is located landward of the floodway. A 96" RCP will be buried at a depth of 12.85' in the floodplain. The 4,338 foot long pipe will carry the effluent flow from the wastewater treatment plant , as well as nearby stormwater flow, to Mill Creek. The pipe will terminate with a concrete headwall and an erosion control blanket will be placed at the base of the end section. Details of the project are contained in information received electronically at the Division of Water on April 30, 2010 and in plans and information received at the Division of Water on

Location : Near the Willinger Lane Bridge over Mill Creek
near Jeffersonville, Jeffersonville Township, Clark County
Section 8, Clark Military Grant, Jeffersonville, IN-KY Quadrangle
Quad Code: 3808536

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312
IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25767

Stream : Bullerman Branch

Applicant : City of Fort Wayne Department of Parks and
Recreat
Anne M Smrchek
1 East Main Street, Room 480
Fort Wayne, IN 46802-1815

Description : The proposed project includes the construction of a new storm sewer and outlet to the Bruick Branch for drainage improvements to Wheatridge Road. The 30" outlet pipe with end section and riprap will be set 2'-0" below existing grade and 253 linear feet of Bruick Branch will be dredged to provide positive drainage to Bullerman Ditch. All dredged material will be hauled off the project site and ditch will be restored with erosion control blanket and permanent seeding. Details of the project are contained in information received electronically at the Division of Water on May 5, 2010 and in plans and information received at the Division of Water on

Location : Approximately 750' north of the intersection of Wheelock Road and Stellhorn Road (State Road 37)
near Fort Wayne, St. Joseph Township, Allen County
Section 23, T 31N, R 13E, Fort Wayne East Quadrangle
Quad Code: 4108511

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25769

Stream : St. Marys River

Applicant : Paint The Town Graphics
1828 West Main Street
Fort Wayne, IN 46808-3760

Description : Propose to install (2) freestanding signs to identify the existing property as the new Kelley House. One 4' x 6' sign to be no taller than 5' at the corner of Catalpa Street and Culbertson Street. This will be the primary identification sign. One 18" x 18" sign at the entrance to the parking lot located off Bright Street no taller than 3'. This sign to identify the entrance. Details of the project are contained in information received electronically at the Division of Water on May 6, 2010 and in plans and information received at the Division of Water on

Location : 2720 Culbertson Street
near Ft. Wayne, Wayne Township, Allen County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : PL-21502

Lake : Simonton Lake

Applicant : Ruth Falcone
51155 Channel Court
Elkhart, IN 46514-9235

Description : A new steel sheet piling seawall will be constructed across 226' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on April 12, 2010.

Location : 51155 Channel Court
near Elkhart, Osolo Township, Elkhart County
Section 15, T 38N, R 5E, Elkhart Quadrangle
Quad Code: 4108568
UTM Coordinates: Downstream 4622705 North, 587762 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21519

Lake : Crooked Lake

Applicant : Sean A Elsten
9910 Gerig Road
Leo, IN 46765-9419

Description : A new seawall will be constructed across 4' of the 45' frontage of the applicant along Crooked Lake to deter shoreline erosion. The wall will consist of reinforced concrete which will be sloped on the lakeward side. It will be 6" high and will vary uniformly in thickness from 30" to 40" from the base to the top. The lakeward face of the wall will be average normal shoreline. A 48" wide layer of sheet piling will be placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of Water on April 29, 2010 and in plans and information received at the Division of Water on

Location : 280 Lane 103 Crooked Lake
near Angola, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21521

Lake : Dewart Lake

Applicant : Stephen Yoder
22 EMS D18A1 LN
Syracuse, IN 46567

Description : A new seawall will be constructed across 50' of the 50' frontage of the applicant along Dewart Lake to deter shoreline erosion. The wall will consist of reinforced concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 13" to 30" from the base to the top. The lakeward face of the wall will be at the lake's legal shoreline. Details of the project are contained in information received electronically at the Division of Water on April 30, 2010 and in plans and information received at the Division of Water on May 3, 2010.

Location : 22 EMS D18A1 LN
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21522

Lake : Lake Wawasee

Applicant : Timothy S McCrea
9020 Schafer Drive
St. John, IN 46373-8970

Description : A new seawall will be constructed across 70' of the 70' frontage of the applicant along Lake Wawasee to deter shoreline erosion. The wall will consist of concrete which will be sloped on the lakeward side. It will be 42" high and will vary uniformly in thickness from 20" to 12" from the base to the top. The lakeward face of the wall will be legal shoreline. A 12" wide layer of stone will be placed at the base of the wall for toe protection. Details of the project are contained in information received electronically at the Division of Water on May 3, 2010 and in plans and information received at the Division of Water on May 5, 2010.

Location : A channel off Johnson's Bay on Lake Wawasee located in Syracuse Indiana at 12124 Chickasaw Drive near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21523

Lake : Jimmerson Lake

Applicant : Nathan A Swineheart
520 Lane 101 Jimmerson Lake
Angola, IN 46703-8013

Description : An existing boat well will be cleaned out within the property of the applicant on 520 Lane 101 Jimmerson Lake to reestablish an existing boat well. The existing, 18' wide well extends 16' landward of the legal shoreline of the lake. A rake, shovel, drag line will be used to remove a 3' depth of accumulated sediment and debris from the bottom to restore the original 5' depth of the well. The excavated material will be placed on the property of the applicant, graded to a depth of 8" and stabilized with a lawn seed mixture. A temporary pier will be placed in front of the property of the applicant on Jimmerson Lake to provide mooring. The 4' wide composite pier will extend 12' lakeward of, and perpendicular to, the legal shoreline of the lake. It will be supported by 2" auger poles which will be placed in the lakebed using hand held tools. Details of the project are contained in information received electronically at the Division of Water on May 3, 2010 and in plans and information received at the Division of Water on

Location : Shoreline at property 520 Lane 101 Jimmerson Lake. This is on the south side of the main basin.
Near Angola, Steuben Township, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11