

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : DR-490

Lake : Cedar Lake

Applicant : WPM Construction
Peter Ruffing
1000 East 80th Place Suite 555N
Merrillville, IN 46410-5673

Description : The applicant propose to place fill on the tract of land in order to elevate it above the base flood elevation for future residential development. Specific details of the project will be added as more information becomes available. Details of the project are contained in information and plans received at the Division of Water on April 16, 2010.

Location : Located approximately 900' north and 1400' west of the West 140th Avenue and Morse Street intersection
DOWNSTREAM: near Cedar Lake, Center Township, Lake County
Section 26, T 34N, R 9W, Lowell Quadrangle
Quad Code: 4108734
UTM Coordinates: Downstream 4579493 North, 464289 East
UPSTREAM:
UTM Coordinates: Upstream 4579242 North, 464289 East

Statute/Rule : "Ditch" Act, IC 14-26-5

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25738
- Stream : Prairie Creek
- Applicant : Anderson Police Department
Mike Anderson
1040 Main Street
Anderson, IN 46016-1746
- Description : The majority of a 'U' shaped berm measuring 210' wide and 360' in length with a universal width of 60' will be constructed in the floodway along the right bank. The height of the mound will be 30' with 1:1 sideslopes. The fill will be seeded and mulched using hydroseeding methods. The fill will be obtained from a location outside of the floodway. Four CMP arches will be installed at an elevation of 855.1', NGVD to provide drainage in the southeast portion of the berm, the pipes will be lined with riprap along the inlet and outlet. Details of the project are contained in information and plans received at the Division of Water on April 14, 2010.
- Location : Approximately 2750' upstream from the County Road 400 South stream crossing and extending 360' upstream
near Anderson, Anderson Township, Madison County
Section 34, T 19N, R 7E, Anderson South Quadrangle
Quad Code: 4008516
UTM Coordinates: Downstream 4434576 North, 609610 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25739
- Stream : Clarks Creek
- Applicant : Colin Smith
1227 Passage Way
Plainfield, IN 46168-3278
- Description : Approximately 125' of the creek will be stabilized with sideslopes of 2:1. A 12" geotube and prevegetated coir log will be filled with gravel and sand that will be obtained from the left bank located in the floodway, it will be anchored to the toe of the slope with duckbill earth anchors and cable lashing. Three additional geotubes will be installed to serve as backfill for the eroded areas. Three prevegetated coir logs will be installed above the geotube toe and will anchor to the geotubes with cable. Polypropylene couplers and nylon lashing will be used to provide a stable connection between coir logs. A turf reinforcement matting will be installed above the coir logs and will be anchored with staples. Native graminoid species such as grasses, sedges and rushes will be used to prevegetate the coir logs. Details of the project are contained in information and plans received at the Division of Water on April 15, 2010, May 14, 2010 and May 17, 2010.
- Location : Beginning approximately 540' downstream of the Stanley Road stream crossing along the right bank and continuing 125' south near Plainfield, Guilford Township, Hendricks County
Section 1, T 14N, R 1E, Plainfield Quadrangle
Quad Code: 3908664
UTM Coordinates: Downstream 4393277 North, 553305 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25740
- Stream : Cedar Creek
- Applicant : WPM Construction
Peter Ruffing
1000 East 80th Place Suite 555N
Merrillville, IN 46410-5673
- Description : The applicant proposes to place fill on the tract of land in order to elevate it above the base flood elevation for future residential development. Specific details of the project will be added as more information becomes available.
Details of the project are contained in information and plans received at the Division of Water on April 16, 2010.
- Location : Located approximately 900' north and 1400' west of the West 140th Avenue and Morse Street intersection
DOWNSTREAM: near Cedar Lake, Center Township, Lake County
Section 26, T 34N, R 9W, Lowell Quadrangle
Quad Code: 4108734
UTM Coordinates: Downstream 4579493 North, 464289 East
UPSTREAM:
UTM Coordinates: Upstream 4579242 North, 464289 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25758

Stream : Laughery Creek

Applicant : Indiana Department of Transportation
Laura Hilden
100 North Senate Avenue
Room N642
Indianapolis, IN 46204-2216

Description : The existing bridge deck and rail on the State Route 48 bridge will be removed and replaced. No work will be performed on the piers. The end bents will be converted to semi-integral and minor approach work will be performed. 8' wide riprap turnout ditches and 4' double matted straw blankets will be constructed from the approach slabs to the bottom of the existing slopes. Additionally, the existing riprap spill slopes will be reshaped with placement of additional riprap to restore the slopes to original design elevations. Details of the project are contained in information and plans received at the Division of Water on April 27, 2010.

Location : At the State Route 48 stream crossing
near Napoleon, Delaware Township, Ripley County
Section 25, T 9N, R 11E, Pierceville Quadrangle
Quad Code: 3908522
UTM Coordinates: Downstream 4340126 North, 651353 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25768
- Stream : Unnamed Tributary
Bullerman Ditch
- Applicant : City of Fort Wayne
Anne Marie Smrchek
One Main Street, Room 480
Fort Wayne, IN 46802-1804
- Description : The proposed project includes the construction of a new storm sewer and outlet to the Bruick Branch for drainage improvements to Wheatridge Road. The 30" outlet pipe with end section and riprap will be set 2'-0" below existing grade and 253 linear feet of Bruick Branch will be dredged to provide positive drainage to Bullerman Ditch. All dredged material will be hauled off the project site and ditch will be restored with erosion control blanket and permanent seeding. Details of the project are contained in information received electronically at the Division of Water on May 5, 2010 and in plans and information received at the Division of Water on
- Location : The Bruick Branch is located on the west side of Wheelock Road approximately 750' north of the intersection of Wheelock Road and Stellhorn Road (SR 37) at Fort Wayne, St. Joseph Township, Allen County
SE¼, Section 23, T 31N, R 3E
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25779
- Stream : Whitewater River
- Applicant : Fayette County Commissioners
Fayette County Commissioners
401 Central Avenue
Connersville, IN 47331
- Description : The Fayette County Bridge 91 carrying County Road 440 North over the Whitewater River will be rehabilitated. The rehabilitation will include a new concrete overlay on the deck, new approach slabs, and joint replacements. Other work includes removing debris around the piers, installing riprap on the spill slope at Bent No. 1 and installing a riprap drainage turnout on the north side of Bent No. 6. An HMA wedge will be installed at each end of the bridge. Details of the project are contained in information received electronically at the Division of Water on May 13, 2010 and in plans and information received at the Division of Water on
- Location : The bridge is located approximately 2.75 miles northeast of Connersville, IN on County Road 440 North.
Near Connersville, Waterloo Township, Fayette County
Section 31, T 14N, R 13E, Brownsville Quadrangle
Quad Code: 3908561
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25786
- Stream : Middle Fork East Fork
Whitewater River
- Applicant : David Showalter
6479 Hill Road
Fountain City, IN 47341-9512
- Description : An existing agricultural crossing will be repaired. Approximately 44' north streambank and 34' of south streambank will be stabilized with #9 bedding stone, #2 stone, and 6" D50 riprap to protect the bank from further erosion. The stone will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 6', a maximum streamward projection of 39' beyond the existing bank, and 2:1 sideslopes. Details of the project are contained in information received electronically at the Division of Water on May 19, 2010 and in plans and information received at the Division of Water on May 20, 2010.
- Location : 6479 Hill Road; Stream crossing located between two fields, northwest of owners home.
near Fountain City, Franklin Township, Wayne County
Section 13, T 15N, R 1W
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : PL-21517
- Lake : Lake Wawasee
- Applicant : Jay Jackson
2827 Wood Hollow Trail
Fort Wayne, IN 46825-7132
- Description : A concrete seawall will be refaced with a layer of concrete across 60' of the applicant's 133' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on April 27, 2010.
- Location : 6226 East Trusdell Avenue
near Syracuse, Turkey Creek Township, Kosciusko County
Section 16, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546
UTM Coordinates: Downstream 4583851 North, 607511 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21518

Lake : Clear Lake

Applicant : Alan Nelson
10470 New Haven Street
Ventura, CA 93004-4049

Description : A 20' by 30' underwater beach will be constructed across 20' of the applicant's 65' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on April 27, 2010.

Location : 1230 Quiet Harbor Drive
near Clear Lake, Clear Lake Township, Steuben County
Section 19, T 38N, R 15E, Clear Lake, IN-OH-MI Quadrangle
Quad Code: 4108467
UTM Coordinates: Downstream 4622851 North, 678132 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21531

Lake : Loon Lake

Applicant : Gene A Donaghy
7256 North 100 East
Ossian, IN 46777-9360

Description : A new seawall will be constructed across 110' of the 115' frontage of the applicant along Loon Lake to deter shoreline erosion. The wall will consist of Keystone Verazo Concrete pinned Block (6"x16"x12") which will be sloped on the lakeward side. It will be 27" - 33" high and will be uniformly 12" in thickness from the base to the top plus a 6" x 18" compacted stone base. The lakeward face of the wall will be above the average normal shoreline. A 12" wide layer of glacial stone will be placed at the base of the wall for toe protection. To prevent further erosion of the shoreline, we propose to install a Keystone Verazo pinned concrete block seawall across the entire Donaghy property of 95' and approx 15' of the Bohde property. The wall will be tied by geotex fabric into the lake bank and will have a 6"x18" compacted stone base. The wall will be 81' of 5 high block and a 3" cap and the balance will be 4 high block with a 3" cap. The seawall will be approx 5'-10' back from the normal lake level boundary and proposed to be installed above the normal lake level of 895.14 and has been surveyed and staked. Details of the project are contained in information received electronically at the Division of Water on May 12, 2010 and in plans and information received at the Division of Water on May 17, 2010 and May 18, 2010.

Location : 7040 North Brown Road
near Columbia City, Etna-Troy Township, Whitley County
Section 36, T 33N, R 8W, Union Quadrangle
Quad Code: 3808744

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11