

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25824
- Stream : Tower Ditch
- Applicant : Luce Township Regional Sewer District
John Wood
PO Box 137
Richland, IN 47634-0137
- Description : The proposed project is to provide wastewater collection for unsewered areas of Luce Township. This will be accomplished by constructing a low pressure sewer collection system for approximately 800 homes and businesses in the communities of Richland City, Hatfield, Eureka, and the area known locally as the French Island Boat Club, along with the areas between the communities. Each home and/or business will have a grinder pump that will pump the wastewater into the low pressure sewer collection system. All of the wastewater flow in each community will be pumped to a wastewater lift station in that community. The wastewater from each community lift station will then convey the flow to the next downstream lift station. Eventually, all of the wastewater will be collected at a main pumping station which will then pump the wastewater to the City of Rockport's North Wastewater Treatment Plant. Approximately 190 cubic yards of clean earthen fill and 40 cubic yards of revetment riprap will be placed on the site to allow for installation of the Hatfield Lift Station. The earthen fill is needed to raise the site of the lift station above the base flood elevation (BFE) and tie into the existing grade. No fill will be placed below the ordinary high water mark (OHWM). The revetment riprap is needed to protect the 2:1 slope on the north side of the proposed fill. Details of the project are contained in information and plans received at the Division of Water on June 14, 2010.
- Location : Beginning at the upstream side of County Road 900 West and continuing upstream for approximately 90'
near Hatfield, Luce Township, Spencer County
Section 20, T 7S, R 7W, Richland City Quadrangle
Quad Code: 3708782
UTM Coordinates: Downstream 4194930 North, 480313 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25825

Stream : Willow Pond Ditch

Applicant : Luce Township Regional Sewer District
John Wood
PO Box 137
Richland, IN 47634-0137

Description : The proposed project is to provide wastewater collection for unsewered areas of Luce Township. This will be accomplished by constructing a low pressure sewer collection system for approximately 800 homes and businesses in the communities of Richland City, Hatfield, Eureka, and the area known locally as the French Island Boat Club, along with the areas between the communities. Each home and/or business will have a grinder pump that will pump the wastewater into the low pressure sewer collection system. All of the wastewater flow in each community will be pumped to a wastewater lift station in that community. The wastewater from each community lift station will then convey the flow to the next downstream lift station. Eventually, all of the wastewater will be collected at a main pumping station which will then pump the wastewater to the City of Rockport's North Wastewater Treatment Plant. Approximately 120 cubic yards of clean earthen fill will be placed on the site to allow for installation of the Eureka Lift Station. The earthen fill is needed to raise the site of the lift station above the base flood elevation (BFE) and tie into the existing grade. No fill will be placed below the ordinary high water mark (OHWM). The fill is only being used to raise a portion of the site above the BFE. Details of the project are contained in information and plans received at the Division of Water on June 14, 2010 and July 14, 2010.

Location : At the downstream side of County Road 850 West
near Eureka, Luce Township, Spencer County
Section 29, T 7S, R 7W, Richland City Quadrangle
Quad Code: 3708782
UTM Coordinates: Downstream 4192819 North, 481076 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25826

Stream : Ohio River

Applicant : Luce Township Regional Sewer District
John Wood
PO Box 137
Richland, IN 47634-0137

Description : The proposed project is to provide wastewater collection for unsewered areas of Luce Township. This will be accomplished by constructing a low pressure sewer collection system for approximately 800 homes and businesses in the communities of Richland City, Hatfield, Eureka, and the area known locally as the French Island Boat Club, along with the areas between the communities. Each home and/or business will have a grinder pump that will pump the wastewater into the low pressure sewer collection system. All of the wastewater flow in each community will be pumped to a wastewater lift station in that community. The wastewater from each community lift station will then convey the flow to the next downstream lift station. Eventually, all of the wastewater will be collected at a main pumping station which will then pump the wastewater to the City of Rockport's North Wastewater Treatment Plant. Approximately 40 grinder pump units and 9800 linear feet of low pressure sewer, ranging in size from 1½" to 3" diameter, will be installed in the floodplain of the Ohio River to convey the wastewater to a new lift station that will be located on the east side of County Road 850 West, just outside of the floodplain. The control panel and the vent pipe for each grinder pump unit must be extended above the BFE and shall be mounted on either new utility poles or on existing buildings. The low pressure sewer pipe will be installed using a combination of open-cut excavation and directional drilling. No fill will be placed below the ordinary high water mark (OHWM) or anywhere within the floodplain. Details of the project are contained in information and plans received at the Division of Water on June 14, 2010.

Location : Northern bank of Ohio River between mile 765 and 766
Luce Township, Spencer County
Section 6, T 8S, R 7W, Owensboro West, IN-KY Quadrangle
Quad Code: 3708772
UTM Coordinates: Downstream 4189609 North, 479993 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25832
- Stream : French Lick Creek
- Applicant : Jones Family Inc
Derek Jones
PO Box 60
Shoals, IN 47581-0060
- Description : An area approximately 30' by 247' will be filled as part of the construction of a new service station/convenience store approved under permit FW-25355. The fill area is a segment of Gagnon Avenue located along the north boundary of the property. The height of the fill will vary from 1' to 5'. Also, a concrete retaining wall will be constructed along the north side of the fill. The wall will vary in height from 3' up to 7'. Details of the project are contained in information and plans received at the Division of Water on June 14, 2010 and June 28, 2010.
- Location : At the intersection of SR 56 and Gagnon Street extending approximately 30' south and 300' west
near West Baden Springs, French Lick Township, Orange County
SE $\frac{1}{4}$, NW $\frac{1}{4}$, Section 34, T 2N, R 2W, French Lick Quadrangle
Quad Code: 3808655
UTM Coordinates: Downstream 4268250 North, 533621 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25845

Stream : Ohio River

Applicant : James H Dial
1425 Broadway
Clarksville, IN 47129-7709

Description : An area in the floodway approximately 30' by 240' will be filled to elevate the property to a maximum elevation of 448.0' NGVD29. The fill will vary in depth from 1' to 8'. The proposed elevation of the site will match that of the neighboring downstream property. Details of the project are contained in information and plans received at the Division of Water on June 24, 2010.

Location : Along the south east side of Utica Pike 2600' southwest of intersection of Allison Lane and Utica Pike
near Jeffersonville, Jeffersonville Township, Clark County
Clark Military Grant #4, Jeffersonville, IN-KY Quadrangle
Quad Code: 3808536
UTM Coordinates: Downstream 4238892 North, 613962 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25848
- Stream : Otter Creek
- Applicant : City of Madison Port Authority
Cathy A Hale
1121 West JPG Woodfill Road
Madison, IN 47250-9729
- Description : The existing steel-truss bridge and supporting timber bents carrying Madison Railroad over the stream will be replaced with new steel beams and new concrete piers on the same alignment. The existing stone masonry abutments and the approaches will remain in place. The new structure will consist of three steel rolled beam spans of 48' each with a concrete ballast deck. Details of the project are contained in information and plans received at the Division of Water on June 24, 2010 and July 12, 2010.
- Location : At the Madison Railroad crossing approximately 850 feet upstream of the confluence of Muskatatuck River
near Vernon, Vernon Township, Jennings County
Section 11, T 6N, R 8E, Vernon Quadrangle
Quad Code: 3808585
UTM Coordinates: Downstream 4315954 North, 621092 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25851
- Stream : East Fork White River
- Applicant : Lawrence County Board Of Commissioners
Robert Dillon
1 County Complex Road
Bedford, IN 47421-7491
- Description : An existing covered bridge will be converted to pedestrian and bicycle use only. Broken and missing floor planks will be replaced and a new chain link fence will be installed inside the covered bridge. New siding will be placed on the outside of the bridge and all stone abutment and pier mortar joints will be repointed. The north approach road will be raised 5' in order to meet requirements of the Americans with Disabilities Act. In addition, an approximately 100' x 40' parking area will be provided at grade on the north end of the bridge. No work will be done in the channel. Details of the project are contained in information and plans received at the Division of Water on June 28, 2010.
- Location : At the existing Williams Covered Bridge crossing carrying the Huron and Williams Road over the river
near Williams, Spice Valley Township, Lawrence County
Section 8, T 4N, R 2W, Williams Quadrangle
Quad Code: 3808676
UTM Coordinates: Downstream 4294280 North, 529078 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25853
- Stream : Unnamed Tributary Big Raccoon Creek
- Applicant : Indiana Department of Transportation
Robert Buskirk
100 North Senate Avenue, Room W642
Indianapolis, IN 46204-2249
- Description : Approximately 4 acres of wetland are proposed. The existing drainage tiles at the site will be plugged. Minimal re-grading and native forestry vegetation is proposed. Wetland 'A' is a perched wetland and will have a berm with an elevation of 895', NAVD88 and is proposed in the northeast portion of the site. Wetland 'A' will have a 14' long drainage pipe and will connect to a control structure with an invert elevation of 892', NAVD88 it will then connect to a 27' long drainage pipe that will outfall into wetland 'B'. The berm for wetland 'A' will be lined with an erosion control blanket and the outfall will be lined with riprap. Wetland 'B' will have a berm with an elevation of 888', NAVD88 and is proposed in the western portion of the site. Wetland 'B' will have a 9' long drainage pipe and will connect to a control structure with an invert elevation of 887', NAVD88 it will then connect to a 54' long drainage pipe that will outfall into the unnamed tributary of Big Raccoon Creek. A 120' long drainage swale will be installed in the southeastern portion of the site for creek overflow. INDOT Des. No. 0900022. Details of the project are contained in information and plans received at the Division of Water on June 30, 2010 and July 26, 2010.
- Location : Approximately 4000' west and 950' south of the County Road 500 South and County Road 1050 West intersection
near New Ross, Jackson Township, Boone County
Section 31, T 18N, R 2W, New Ross Quadrangle
Quad Code: 3908686
UTM Coordinates: Downstream 4423829 North, 527210 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25871

Stream : Wabash River

Applicant : Nickel Plate Trail Inc
Mike Keupper
PO Box 875
Peru, IN 46970-0875

Description : An existing railroad truss bridge will be rehabilitated by adding a concrete deck, steel hand rails, and concrete approach roads. The out to out width of the concrete deck will be 16' and the length is approximately 600' 6". The approach roads will be 16' wide by 10' long on either side of the bridge. In addition, damaged stones will be removed and repaired on pier number four Details of the project are contained in information and plans received at the Division of Water on July 13, 2010 and July 28, 2010.

Location : Approximately 250' upstream of the US 31 stream crossing
at Peru, Peru Township, Miami County
Section 32, T 27N, R 4E, Bunker Hill Quadrangle
Quad Code: 4008661
UTM Coordinates: Downstream 4510479 North, 576328 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25884

Lake : Cecil M Harden Lake

Applicant : Indiana Department of Natural Resources
Dale A Gick
402 West Washington Street, W299
Indianapolis, IN 46204-2739

Description : A concrete boat ramp will be reconstructed along 35' of Cecil M. Harden Lake to provide improved safety and access. The ramp will extend approximately 40' lakeward of, and will conform to the average normal (existing) shoreline of the lake. Project takes place at the Walker Boat Ramp. Details of the project are contained in information received electronically at the Division of Water on July 27, 2010 and in plans and information received at the Division of Water on

Location : At the Cecil M. Harden Lake (Raccoon State Recreation Area); on Walker Boat Ramp located at the east side of the reservoir, southeast of the US 36 and SR 59 intersection
near Rockville, Union Township, Parke County
Section 22, T 15N, R 6W, Mansfield Quadrangle
Quad Code: 3908761

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25886

Stream : St. Joseph River

Applicant : Kathy and Herman Dennis
10176 Jefferson Road
Osceola, IN 46561-9552

Description : Approximately 60' of the St. Joseph's eroded north streambank will be stabilized with natural fieldstone rocks/boulders placed over a geotextile fabric to protect the bank from further erosion. The natural fieldstone rocks/boulders will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 3', a maximum streamward projection of 2' beyond the existing bank, and 1:1 sideslopes. Details of the project are contained in information received electronically at the Division of Water on July 28, 2010 and in plans and information received at the Division of Water on

Location : 10176 Jefferson Road; along the north bank of the St. Joseph River spanning 60' near Osceola, Penn Township, St. Joseph County
Section 9, T 37N, R 4E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25887

Stream : Ohio River

Applicant : Duke Energy
William B Taylor
1000 East Main Street
Plainfield, IN 46168-1782

Description : Two silos are proposed to be constructed at elevation 444'. They will be approximately 15' in diameter and 60' in height, and used for the storage of a dry sorbent which will be injected into the flu gas at Gallagher station as a form of so2 mitigation. They will be constructed at an existing industrial use site adjoining the north wall of the generation station. Details of the project are contained in information received electronically at the Division of Water on July 28, 2010 and in plans and information received at the Division of Water on

Location : The project is located near the Ohio River Mile 610, at the north side of the Gallagher Generation Station
near New Albany, New Albany Township, Floyd County
Section 10, T 3S, R 6E, New Albany, IN-KY Quadrangle
Quad Code: 3808537

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25888
- Stream : St. Marys River
- Applicant : City of Fort Wayne
Anne Marie Smrchek
One Main Street, Room 480
Fort Wayne, IN 46802-1804
- Description : A stormwater outfall structure will be constructed along the south (right) bank of the St. Marys River to provide a dedicated means of stormwater drainage for portions of downtown Fort Wayne located landward of the floodway. A 72" concrete outfall pipe will be buried to a depth of 4' - 7' cover in the floodplain. The approximately 1,600' long pipe will carry stormwater from the upstream drainage area to the river. The pipe will terminate with a concrete outfall structure with headwall, wingwalls, apron, and toewall that will generally conform to the bank slope. A flapgate will be placed at the end of the pipe to prevent backflow into the storm sewer. An energy dissipator will be constructed at the base of the outfall structure. The dissipator will consist of energy dissipating blocks and riprap. As part of the project a 12" water main will be installed parallel to the 72" storm sewer along a portion of its length in Ewing Street. Adjacent existing storm, sanitary, and water utility piping will need to be relocated to avoid conflict with the new 72" storm sewer. Details of the project are contained in information received electronically at the Division of Water on July 28, 2010 and in plans and information received at the Division of Water on
- Location : On the right (south) bank of the St. Mary's River approximately 100' downstream of the Ewing/Fairfield bridge. Also in the Ewing Street right of way for approximately 1600' south
near Fort Wayne, Wayne Township, Allen County
Section 2, T 30N, R 12E, Fort Wayne West Quadrangle
Quad Code: 4108512
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21564

Lake : Adams Lake

Applicant : David and Joana Goddard
7288 East Hopewell Road
Avilla, IN 46710-9759

Description : A new concrete seawall will be constructed across 36' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 30, 2010 and July 14, 2010.

Location : 5820 South 510 East
near Wolcottville, Johnson Township, LaGrange County
Section 24, T 36N, R 10E, Wolcottville Quadrangle
Quad Code: 4108553
UTM Coordinates: Downstream 4602083 North, 639579 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21566

Lake : Crooked Lake

Applicant : Linda L Zuber
8061 Clymer Lane
Indianapolis, IN 46250-4236

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on July 6, 2010 and July 14, 2010.

Location : 200 Lane 375
near Angola, Jamestown Township, Steuben County
Section 9, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4615799 North, 663634 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21581

Lake : Sylvan Lake

Applicant : David N Miller
940 Lakeside Drive
Rome City, IN 46784

Description : There is an area of sand by the lakefront and I want to put a small bridge from one side to the other. This will not be in the water or go across the water and will be erected without interfering with the existing seawall. It will expand 13'6" from one side of sand to the other. It will be 31" above the sand on one side and 45" above the sand on the side towards the water and it will be 5' wide. Details of the project are contained in information received electronically at the Division of Water on July 27, 2010 and in plans and information received at the Division of Water on

Location : 940 Lakeside Drive; Lot #17 of Oakland Plat
near Rome City, Orange Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11