

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25885

Stream : Ohio River

Applicant : US Army Corps of Engineers, Louisville District
Mike Turner
600 Dr. Martin Luther King Place, Room 708
Louisville, KY 40202-0059

Description : The proposed project includes the rehabilitation of 156 acres of an existing ring levee wetland that is presently within a 180 acre partially forested wetland. A "V"-notched ditch within the constructed Moist Soil Unit C (MSU0C) will be constructed, creating a 0.1% graded slope towards MSU-C's stop-log drain structure located on the south berm. Five (5) berms with a total length of approximately 9,540 linear feet would be constructed within and around the proposed project area. Of that total length, 6,000 linear feet of low-height berms would be constructed to partition the area into six (6) MSU's labeled A thru F. Construction would consist of building several low-height berms to form six (6) MSU compartments. Each berm would incorporate log-stop type water control structures; hydraulically connecting each MSU for desired needs in assimilating ecosystem seasonal rise and lowering of water levels. Water would be provided to the provided project area by installation of a new inlet structure within the north berm of MSU A; as well as INDNR's continued use of an existing mobile pump station near the northeast corner of the site. INDNR's objective is to have a complex of moist soil units with independent control of water volume within the confines of each MSU; thus, affording options to totally drain the complex or selectively flood any number of compartments up to 2-ft in depth. The rehabilitation of the ring levee with six (6) interconnected MSU compartments would allow the area to be more effectively managed. Control of the water levels would benefit wildlife and allow water to be used as a vegetation control. The water control structures would be a commercially constructed inline, flashboard control structure. The five (5) constructed berms would consist of compacted earth and clay, about 2 to 3 feet high across the existing wetland. Water levels within the partitioned areas would be managed to provide optimum habitat conditions for waterfowl and shorebirds. The berms would not be designed to meet small dam standards since they would be constructed within an existing levee area. Thus, failure would not pose a safety hazard. Benching would be performed at intersections of new berm construction as well as at locations where new berms adjoin the existing ring levee. Benching is the process of cutting "steps" into an existing levee allowing the new berm to tie in as it is constructed in layers. Approximately 250,000 cubic feet of soil is needed for the berm construction and benching efforts. This material can be obtained from two adjacent borrow areas. Two (2) existing levees east of the project area have been identified as potential soil-borrow areas for the proposed project. Details of the project are contained in information and plans received at the Division of Water on July 26, 2010.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Location : Along the north (right) over bank and between river mile 840.5 and 841.0
DOWNSTREAM: near Hovey, Point Township, Posey County
Section 25, T 8S, R 14W, Uniontown, IN-KY Quadrangle
Quad Code: 3708778
UTM Coordinates: Downstream 4183689 North, 417426 East
UPSTREAM:
UTM Coordinates: Upstream 4184203 North, 418000 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : FW-25890
- Stream : West Branch Clear Creek
- Applicant : Community Kitchen of Monroe County
Vicki Pierce
PO Box 3286
Bloomington, IN 47402-3286
- Description : An existing commercial building with a parking lot will be revamped to become the new location for the community kitchen. Additional parking and a bus stop will also be constructed at or below grade. Site improvements will consist of complete replacement of all existing asphalt parking areas reconstructed at or below existing grade. Three (3) bio-tetention ponds (small wetlands) will flank the parking areas and are intended to clean runoff prior to entering the creek. An 8' by 9' covered, open-sided bus shelter with two (2) bench seats will be situated in the front of the lot close to Rogers Street. Details of the project are contained in information and plans received at the Division of Water on July 29, 2010 and August 19, 2010.
- Location : Along the left (east) overbank of the west branch clear creek (WBCC, approx 250 ft north of the Rogers St. crossing over WBCC
near Bloomington, Perry Township, Monroe County
Section 8, T 8N, R 1W, Bloomington Quadrangle
Quad Code: 3908625
UTM Coordinates: Downstream 4333521 North, 539882 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25896
- Stream : Prairie Creek
- Applicant : Indiana Department of Transportation
Laura Hilden
100 North Senate Avenue, Room W642
Indianapolis, IN 46204-2249
- Description : The existing bridge carrying State Road 32 over Prairie Creek will be replaced with a new structure on essentially the same alignment as part of a roadway improvement project to State Road 32. The new structure will be a 4-span continuous reinforced concrete slab bridge with span lengths of 34'-6", 37', 43', and 40'. Span supports will be 14" diameter steel encased concrete (SEC) piles with conical pile tips. Each supporting bent shall consist of ten 14" diameter SEC piles. The existing channel will be reshaped and widened; the new channel banks will be lined with 2' of Class I riprap on geotextiles. (INDOT Des# 9303100). Details of the project are contained in information and plans received at the Division of Water on August 2, 2010.
- Location : At the State Road 32 stream crossing
near Lebanon, Center Township, Boone County
Section 5, T 18N, R 1E, Lebanon Quadrangle
Quad Code: 4008614
UTM Coordinates: Downstream 4432258 North, 547395 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25897

Stream : Tanners Creek

Applicant : Ohio Valley Gas Incorporated
Mark H Mayfield
PO Box 469
Winchester, IN 47394-0469

Description : A 100' by 20' area will be excavated in order to check the condition of a gas pipeline. Maintenance will be performed if necessary. The site will be returned to existing condition at the end of the project. Details of the project are contained in information and plans received at the Division of Water on August 3, 2010.

Location : Located approximately 500' east and 250' north of the Taylor Lane and Main Street intersection
near Guilford, Miller Township, Dearborn County
SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 20, T 6N, R 1W, Guilford Quadrangle
Quad Code: 3908428
UTM Coordinates: Downstream 4337641 North, 680662 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25898

Stream : Tanners Creek

Applicant : Ohio Valley Gas Incorporated
Mark H Mayfield
PO Box 469
Winchester, IN 47394-0469

Description : A 100' by 20' area will be excavated in order to check the condition of a gas pipeline. Maintenance will be performed if necessary. The site will be returned to existing condition at the end of the project. Details of the project are contained in information and plans received at the Division of Water on August 3, 2010.

Location : Located approximately 3950' west and 100' south of the Mount Pleasant Road and Messmore Lane intersection
near Guilford, Miller Township, Dearborn County
SE $\frac{1}{4}$, SE $\frac{1}{4}$, Section 18, T 6N, R 1W, Guilford Quadrangle
Quad Code: 3908428
UTM Coordinates: Downstream 4338752 North, 680268 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25899
- Stream : Smith Ditch
- Applicant : Porter County Board of Commissioners
Dave Burns
155 Indiana Avenue
Valparaiso, IN 46383
- Description : An existing culvert will be removed and bank stabilization is proposed. Approximately 160' of the north and south bank will be stabilized using compact rock and soil, turf reinforcement mat, and seeding. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 4, 2010.
- Location : Beginning approximately 100' downstream from the County Road 150 East crossing and extending approximately 160' downstream
near Valparaiso, Center Township, Porter County
Section 30, T 35N, R 5W, Valparaiso Quadrangle
Quad Code: 4108741
UTM Coordinates: Downstream 4588756 North, 496807 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25902

Stream : West Fork Clear Creek

Applicant : City of Bloomington
Justin Wykoff
Department of Public Works
401 North Morton Street, Suite 130
Bloomington, IN 47402

Description : The existing bridge carrying Tapp Road over the West Fork of Clear Creek will be widened to accommodate four lanes of traffic, a five foot (5') pedestrian sidewalk along the south side, and a separate twelve foot pedestrian bridge along the north side. The existing deck will be increased by extending the abutments and wing walls upstream by 20'-0" and downstream by 35'-6". The new out-to-out width will be 84'-6". The bridge span will also be increased to a length of 65'-0". The approach roads will be raised above the base flood elevation. Minimal work will be done in the channel. Details of the project are contained in information and plans received at the Division of Water on August 5, 2010.

Location : At the Tapp Road crossing over West Fork Clear Creek
near Bloomington, Perry Township, Monroe County
SW¼, SE¼, Section 7, T 8N, R 1W, Bloomington Quadrangle
Quad Code: 3908625
UTM Coordinates: Downstream 4332021 North, 537908 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25904
- Stream : Youngs Creek
- Applicant : Johnson County Surveyor
Doug Lechner
86 West Court Street
Courthouse Annex
Franklin, IN 46131-2304
- Description : Approximately 2870 feet of the stream will be dredged using the one step removal process. The sedimate will be placed far enough from the strream to prevent dredged material from re-entering the stream. Once dry the sediment will be spread evenly within the 75 foot easement. Details of the project are contained in information and plans received at the Division of Water on August 6, 2010.
- Location : Beginning at County Road 400 North and continuing upstream approximately 2,870' to the confluence with Alexander Ditch
DOWNSTREAM: near Bargersville, Pleasant Township, Johnson County
SW¼, Section 30, T 13N, R 4E, Bargersville Quadrangle
Quad Code: 3908652
UTM Coordinates: Downstream 4376424 North, 574710 East
UPSTREAM:
UTM Coordinates: Upstream 4376888 North, 574005 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25908

Stream : Junk Ditch

Applicant : Hometown Auto Group LLC
John G Wirt
2901 Taylor Street
Fort Wayne, IN 46802-4624

Description : A 75' by 100' asphalt parking lot for a commercial facility is proposed. Less than 1' of fill will be placed for the parking lot and will have 2:1 sideslopes. An 8' high chain link fence will be constructed around the parking lot. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 11, 2010 and August 16, 2010.

Location : Beginning approximately 230' east of the Morris Street and Taylor Street intersection and extending approximately 150' north and 150' east near Fort Wayne, Wayne Township, Allen County
Section 9, T 30N, R 12E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4547882 North, 653124 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25909
- Stream : Unnamed Tributary
McCracken Creek
- Applicant : Hendricks County
John Ayers
355 South Washington Street, Suite 209
PO Box 51
Danville, IN 46122-0051
- Description : An existing 18' by 5.5' bridge opening will be replaced with a 24' by 5' bridge opening. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 11, 2010.
- Location : Approximately 1400' east of the 400 West Road and County Line Road intersection
near Hazelwood, Liberty Township, Hendricks County
Section 2, T 13N, R 1W, Mooresville West Quadrangle
Quad Code: 3908654
UTM Coordinates: Downstream 4383602 North, 543104 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25925
- Stream : West Fork White River
- Applicant : Mapleturn Utilities
Randall Gramentz
2001 East Mapleturn Road
Martinsville, IN 46151
- Description : A commercial facility will be developed along the south bank of the White River and east of Clear Creek to provide treatment for sanitary sewers in the Mapleturn Subdivision. The facility will consist of a 35' by 126' concrete walled structure and a gravel area. There will be minimum fill in the area. The existing ground elevation where the tanks treatment tanks will be built is 618.0'. The inside floor elevation of the treatment tanks will be at an elevation of 613.2', the top of wall of the treatment tanks will be at 629.2'. The fill will have 3:1 sideslopes from the finished grade down to the existing floodplain elevations along Clear Creek. Details of the project are contained in information received electronically at the Division of Water on August 26, 2010 and in plans and information received at the Division of Water on
- Location : Along the south side of the West Fork White River approximately 2,200' south. Also, approximately 100' east of Clear Creek near Martinsville, Washington Township, Morgan County Section 13, T 12N, R 1E
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25926

Stream : Big Raccoon Creek

Applicant : Parke County Board of Commissioners
Randy Norman
306 North Lincoln Road
Rockville, IN 47872-1521

Description : The project will replace the existing Bridge #72 over Big Raccoon Creek. The existing bridge does not meet current standard bridge design requirements and is a safety hazard. The existing bridge is considered structurally deficient. The proposed bridge is a two-span spill-through design that will be at the same location as the existing bridge. Details of the project are contained in information received electronically at the Division of Water on August 27, 2010 and in plans and information received at the Division of Water on August 31, 2010.

Location : At the County Road 600 West creek crossing
near Montezuma, Wabash Township, Parke County
Section 12, T 15N, R 9W

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : PL-21588

Lake : Kuhn Lake

Applicant : Mike Cassidy
5342 Woodruff Drive
New Castle, IN 47362-9328

Description : An existing concrete seawall will be replaced with a new concrete seawall across 20' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 9, 2010 and August 20, 2010.

Location : 53 EMS B11 Lane
near North Webster, Tippecanoe Township, Kosciusko County
Section 26, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4571370 North, 609834 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21589

Lake : Sylvan Lake

Applicant : Greg Johnson
430 Kerr Island
Rome City, IN 46784-9675

Description : A new concrete seawall will be constructed across 64' of the applicant's 132' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Also, an existing concrete seawall will be refaced with a layer of concrete across 68' of the applicant's 132' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 9, 2010.

Location : 430 Kerr Island
near Rome City, Orange Township, Noble County
Section 16, T 35N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4594919 North, 636004 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21592

Lake : Dallas Lake

Applicant : Danny and Linda Wortinger
6155 South 030 West
Wolcottville, IN 46795-9532

Description : A new glacial stone seawall will be constructed across 34' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 11, 2010.

Location : 6155 South 030 West
near Wolcottville, Clearspring Township, LaGrange County
Section 25, T 36N, R 9E, Oliver Lake Quadrangle
Quad Code: 4108554
UTM Coordinates: Downstream 4601347 North, 631093 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21596

Lake : Sylvan Lake

Applicant : Michael Packnett
10125 Silver Lake Court
Fort Wayne, IN 46825-7252

Description : A new glacial stone seawall will be constructed across 100' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Also, a new concrete retaining wall will be constructed behind the new glacial stone seawall across the 100' of frontage. The base of the wall will be located above the lake's legally established lake level of 916.20', MSL. Details of the project are contained in information and plans received at the Division of Water on August 16, 2010.

Location : 1060 Eastgate Drive
near Kendallville, Orange Township, Noble County
NE¼, NE¼, NW¼, Section 23, T 35N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4593674 North, 638616 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21597

Lake : Simonton Lake

Applicant : Tim Hoffman
25630 North Shore Drive
Elkhart, IN 46514-6342

Description : A new steel sheet piling seawall will be constructed across 127' of the applicant's 207' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Also, an existing concrete seawall will be refaced across 80' of the applicant's 207' frontage. The reface layer will consist of steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on August 16, 2010.

Location : 25630 North Shore Drive
near Elkhart, Osolo Township, Elkhart County
SW¼, Section 9, T 38N, R 5E, Adamsville, MI-IN Quadrangle
Quad Code: 4108578
UTM Coordinates: Downstream 4623028 North, 586343 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21598

Lake : Waldron Lake

Applicant : Paul W Knepper
8531 Fox Home Drive
New Haven, IN 46774-1009

Description : A concrete seawall will be refaced with a layer of concrete across 71' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Also, a 12" layer of glacial stone will be placed at the base of the seawall for toe protection. Details of the project are contained in information and plans received at the Division of Water on August 18, 2010.

Location : 0018 Waldron Lake Drive
near Wolcottville, Orange Township, Noble County
Section 18, T 35N, R 10E, Albion Quadrangle
Quad Code: 4108544
UTM Coordinates: Downstream 4594633 North, 631602 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21602

Lake : Tippecanoe Lake

Applicant : Betty K Turner
125 EMS T45 Lane
Leesburg, IN 46538-9195

Donald E Frantz
129 EMS T45 Lane
Leesburg, IN 46538-9195

Description : A new glacial stone seawall will be constructed across 56' of the applicant's 70' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. In addition, an existing concrete pier will be refaced with a layer of glacial stone across 14' of the applicant's 70' frontage. Details of the project are contained in information and plans received at the Division of Water on August 25, 2010.

Location : 125 and 129 EMS Lane T45
near North Webster, Tippecanoe Township, Kosciusko County
SE¼, Section 7, T 33N, R 7E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4575683 North, 604542 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21603

Lake : Bass Lake

Applicant : George Leus
5902 South County Road 210
Knox, IN 46534-9358

Description : A new seawall will be constructed along the frontage of the applicant on Bass Lake to deter shoreline erosion. The wall will be composed of 2"inch to 12"inch diameter stone and will be approximately 50ft long. Its lakeward face will be at the legal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on August 26, 2010 and in plans and information received at the Division of Water on

Location : 5902 South County Road 210
near Knox, California Township, Starke County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21604

Lake : Big Barbee Lake

Applicant : Michael Signore
10408 London Bay
Mokena, IL 60448-9369

Description : An existing cap concrete seawall will be refaced across a portion of the 50' frontage of the applicant on Barbee Lake to prevent deterioration. The refacing will consist of 12" steel reinforced concrete which will be tied to the existing wall with steel reinforcing. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 12" wide layer of stone will be placed at the base of the wall for toe protection. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on August 27, 2010 and in plans and information received at the Division of Water on

Location : 48 EMS B51A
near North Webster, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21607

Lake : Big Barbee Lake

Applicant : Nancy E Lewis
PO Box 278
North Webster, IN 46555-0278

Description : An existing concrete seawall will be refaced across a portion of the 50' frontage of the applicant on Big Barbee Lake to prevent deterioration. Details of the project are contained in information received electronically at the Division of Water on August 30, 2010 and in plans and information received at the Division of Water on

Location : 44 EMS B51A; Lot Number Nine (9) in Plat of White Harbour on Big Barbee Lake near North Webster, Tippecanoe Township, Kosciusko County Section 27, T 33N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21608

Lake : Jones Lake

Applicant : Cynthia R Smith
10587 North Oak Knoll Road
Rome City, IN 46784-9730

Description : A new seawall will be constructed along the frontage of Jones Lake to deter shoreline erosion. The wall will be composed of 2" inch to 12 inch" diameter glacial stone and will be approximately 50' long. Its lakeward face will be at the average normal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on August 30, 2010 and in plans and information received at the Division of Water on

Location : 10587 North Oak Knoll Road
near Rome City, Orange Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21609

Lake : Dewart Lake

Applicant : Patricia Wynn
13 Ems D 7A Lane
Syracuse, IN 46567

Description : An existing concrete seawall will be refaced across a portion of the 54' frontage of the applicant on Dewart Lake to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with ½ rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on August 30, 2010 and in plans and information received at the Division of Water on

Location : 13 EMS D7A LN, north side of the lake
near Syracuse, Van Buren Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water
30 Day Public Notice Report

Application # : PL-21610

Lake : Shriner Lake

Applicant : Robert C Rodocker
1780 East Poplar Road
Columbia City, IN 46725

Description : An existing underwater beach will be improved in front of the property of the applicant on shriner Lake to prevent further beach erosion. A 6 inch layer of clean, washed pea gravel will be placed 11' lakeward by 55' along property frontage. Details of the project are contained in information received electronically at the Division of Water on August 30, 2010 and in plans and information received at the Division of Water on

Location : projcet is located as applicants address 1780e poplar rd. columbia city, in 46725
Near Columbia City, Thorncreek Township, Whitley County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11