

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25905
- Stream : Ohio River
- Applicant : Ports of Indiana
John W Hughes
150 West Market Street
Suite 100
Indianapolis, IN 46204-2845
- Description : Approximately 200' of the right bank will be cleared of brush and existing riprap; 2' of material will be excavated from areas not previously disturbed. The cleared bank will be lined with filter fabric and new riprap will be placed to a thickness of 2'. The stabilized area will conform to the existing river bank at either end of the project. Details of the project are contained in information and plans received at the Division of Water on August 11, 2010.
- Location : Along the right bank, at river mile 828.5; approximately 1300' downstream from the confluence with McFadden Ditch
near Mt. Vernon, Black Township, Posey County
Section 9, T 7S, R 13W, Mount Vernon, IN-KY Quadrangle
Quad Code: 3708788
UTM Coordinates: Downstream 4198030 North, 422682 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25924
- Stream : Elkhart River
- Applicant : Indiana Department of Transportation
Robert Buskirk
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2249
- Description : A proposed wetland construction will create a wetland approximately 11.10 acres in size at a depth of 2', and wetland enhancement will occur in 4.32 acres at a 0.5:1 ratio. Excavated soil for wetland creation will be placed at an offsite, upland location. Wetland enhancement will include the elimination of moving activities and invasive species maintenance. A 25' long water-control structure will be installed in the levee on the canal and 5' of riprap will be placed at the mouth of the outlet pipe. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 24, 2010.
- Location : Location #1; beginning at the County Road 31 stream crossing and extending approximately 550' east and 550' south. Location #2; beginning approximately 1050' upstream of the County Road 31 stream crossing and extending approximately 1800' northeast following the Elkhart River, and extending 560' south
DOWNSTREAM: near Milford, Benton Township, Elkhart County
SW¼, Section 7, T 35N, R 7E, Goshen Quadrangle
Quad Code: 4108557
UTM Coordinates: Downstream 4595013 North, 602702 East
UPSTREAM:
UTM Coordinates: Upstream 4595230 North, 603242 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25927
- Stream : Indian Creek
- Applicant : Town of Morgantown
Don Smith
120 West Washington Street
Morgantown, IN 46160
- Description : The existing banks at the wastewater treatment facility will be stabilized with an erosion control blanket and gabion baskets. A stone parking pad measuring 20' by 40' will connect to the existing stone drive. The existing stone drive will be extended approximately 300'. The existing weir located in the stream will be repaired. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 26, 2010.
- Location : Beginning approximately 2600' south and 4500' west of the State Route 252 and US 135 intersection and extending approximately 1300' upstream
near Morgantown, Jackson Township, Morgan County
Section 26, T 11N, R 2E, Morgantown Quadrangle
Quad Code: 3908633
UTM Coordinates: Downstream 4357401 North, 562055 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25929
- Stream : Graham McCulloch Ditch
- Applicant : Little River Wetlands Project Inc
Betsy Yankowiak
2403 Fairoak Drive
Fort Wayne, IN 46809-2301
- Description : The existing pedestrian bridge will be replaced with a 70' long steel bridge bridge. the bottom of the new bridge is at or above the existing bridge. The existing structure will remain. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 30, 2010.
- Location : Approximately 2600' upstream of the I-69 crossing
near Fort Wayne, Aboite Township, Allen County
NW¼, Section 25, T 30N, R 11E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4543114 North, 647628 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25933
- Stream : Corner Creek
- Applicant : Lake Holiday Conservancy District
Robert C Ginger
5000 South 400 West
Crawfordsville, IN 47933-8675
- Description : Mechanical excavators will be used to dredge sediment in Lake Holiday after the lake is lowered approximately 4'. Approximately 2' of sediment will be removed from a 265' by 1000' area to restore the lake bottom to its original contours. The excavated material will be removed from site and placed in an old containment area on Lake Holiday Conservancy District property. Details of the project are contained in information and plans received at the Division of Water on September 2, 2010.
- Location : Beginning approximately 5200' downstream of the State Road 47 crossing of Corner Creek (at the eastern end of Lake Holiday) and extending 1000' lakeward near New Market, Union Township, Montgomery County
Section 35, T 18N, R 5W, New Market Quadrangle
Quad Code: 3908688
UTM Coordinates: Downstream 4423889 North, 503573 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25935

Stream : Grand Calumet River

Applicant : Hammond Sanitary District
Michael T Unger
5143 Columbia Avenue
Hammond, IN 46327

Description : To accommodate the City of Hammond's sanitary district, a new pipeline will be installed across and along the Grand Calumet River to a proposed CSO detention basin located landward of the floodway. More specifically, a 96" RCP pipe will be placed across the stream bed on the upstream (east) side of the Sohl Avenue stream crossing and will connect on the south streambank to an existing 96" RCP pipeline. Adjacent to the pipeline crossing, new outfall structures will be placed on each streambank to replace the existing outfall structures. Riprap will be placed below the outfall structures for energy dissipation. In addition, an 84" RCP transfer pipe will tie into an existing pipe on the north streambank and will parallel the north streambank upstream (east) for 200' to a new junction box. At the junction box, a proposed 144" (12-foot) RCP pipeline will be placed parallel to the north streambank for an additional 1,100'. An additional 1,625' of pipeline will continue eastwardly out of the floodway and will outlet into a proposed CSO detention basin. The pipes will be placed by the open-cut method. Sheet piling will be placed on both sides of the trench to provide lateral support for the pipe and to prevent the release of contaminated sediment from under the streambanks and bed of the river. Upon completion of the project, the sheet piling will be buried below the existing streambank. Contaminated sediment from the trenching will be mechanically excavated and disposed in an authorized landfill. Trench dewatering will be accomplished using well points along the length of the project and the water will be recovered, tested, and conveyed to a wastewater treatment facility. Details of the project are contained in information and plans received at the Division of Water on September 3, 2010.

Location : Beginning at the upstream (east) side of the Sohl Avenue crossing and extending approximately 4,400' upstream (southeast) to the Columbia Avenue crossing near Hammond, North Township, Lake County
Section 36, T 37N, R 10W, Calumet City, IL-IN Quadrangle
Quad Code: 4108755
UTM Coordinates: Downstream 4607984 North, 457263 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25936

Stream : Ohio River

Applicant : Evansville Park and Recreation
Daniel C Schall II
101 East Walnut Street
Evansville, IN 47713-1955

Description : The existing Dog Town boat ramp will be repaired by replacing the lower section of the ramp with a new boat ramp system. From an expansion joint in the concrete, the existing ramp will be removed along with approximately 16" of the soil below to prepare for the new ramp system. The existing concrete end section will be removed and replaced with a new 10' wide by 70' long poured-in-place reinforced concrete section. A total of fourteen (14) 5' by 50' pre-stressed concrete planks will be placed on two concrete double T footers. The planks will be placed side by side across the entire 70' width of the ramp. The new ramp will follow the same topography in the water as the existing ramp. All soil removed from the riverbed will be placed landward of the floodway. Details of the project are contained in information and plans received at the Division of Water on September 8, 2010.

Location : 5170 Old Henderson Road, at the Dog Town boat ramp
near Evansville, Union Township, Vanderburgh County
Section 15, T 7S, R 11W, Evansville South, IN-KY Quadrangle
Quad Code: 3708785
UTM Coordinates: Downstream 4197306 North, 444756 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25938

Stream : Ohio River

Applicant : Mary McFadin
1414 Upper Uptown Road
Mt Vernon, IN 46720-8827

Description : Improvements will be made to an existing residential building. The structure will be elevated. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on September 13, 2010.

Location : 7700 Old Henderson Road; approximately 2200' south and 3350' east of the Duesner Road and Old Henderson Road intersection
near Evansville, Union Township, Vanderburgh County
Section 23, T 7S, R 11W, Evansville South, IN-KY Quadrangle
Quad Code: 3708785
UTM Coordinates: Downstream 4194776 North, 446425 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-25942

Stream : Elkhart River

Applicant : City of Elkhart
Dennis Correll
229 South 2nd Street
Elkhart, IN 46516-3112

Description : Approximately 300' eroded right streambank of the Elkhart River will be stabilized with boulders and native plants to protect the bank from further erosion. Details of the project are contained in information received electronically at the Division of Water on September 16, 2010 and in plans and information received at the Division of Water on

Location : Starting at the intersection of SR 19 and old US-33 (W. Franklin Street) in the City of Elkhart, go 2.1 miles east on W. Franklin Street. Continue on S. Elkhart Avenue for 0.2 miles, Site is on the right.
near Elkhart, Concord Township, Elkhart County
Section 4, T 37N, R 5E, Elkhart Quadrangle
Quad Code: 4108568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25943
- Stream : White Ditch
- Applicant : Rosemark Homes Inc
Mike Everett
51277 Harbor Ridge
Granger, IN 46530-4841
- Description : An existing 30' 4" by 23' 4" residence will be replaced with a 30' 4" by 27' 4" residence with a 14' by 20' attached enclosed porch. The reconstructed residence will be elevated and the structure's main floor (habitable living space) will have a finished floor elevation at a minimum of 609.5', NGVD. The concrete wall foundation will be built upward to elevate the residence and the foundation walls will be equipped with SMARTvents to allow for the passage of floodwaters. Details of the project are contained in information and plans received at the Division of Water on September 16, 2010.
- Location : 3712 Birchwood Trail; approximately 270' east and 60' north of the Birchwood Trail and Oakdale Drive intersection
near Michiana Shores, Springfield Township, LaPorte County
Section 12, T 38N, R 4W, New Buffalo West, MI-IN Quadrangle
Quad Code: 4108677
UTM Coordinates: Downstream 4622680 North, 515046 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25944
- Stream : Wea Creek
- Applicant : Indiana Department of Transportation
Robert Buskirk
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2249
- Description : A total of 2017' of the north stream bank will be stabilized. Approximately 1822' will be excavated to a 3:1 slope and stabilized with fiber logs, erosion control blankets, live staking and seeding. The remaining 195' of stream bank with severely eroded areas will be filled to a 3:1 slope and stabilized with fiber logs, layers of willow stakes between soil lifts and seeding under erosion control blankets. In addition, approximately 20.6 acres of existing agricultural land will be excavated to form a wetland mitigation site. In order to construct the mitigation site, a temporary crossing will be installed. The crossing will consist of twelve, 18" diameter, 24' long reinforced concrete pipes with approximately 65 cubic yards of stone compacted over and between the pipes. It is estimated that the crossing will be in place for approximately 6 months and will be removed upon completion of the mitigation site. (InDOT Des #1005275) Details of the project are contained in information and plans received at the Division of Water on September 16, 2010.
- Location : Approximately 2500' downstream (east) of the US 231 creek crossing and continuing east for approximately 2490'
DOWNSTREAM: near Romney, Randolph Township, Tippecanoe County
Section 17, T 21N, R 4W, Romney Quadrangle
Quad Code: 4008638
UTM Coordinates: Downstream 4457926 North, 509385 East
UPSTREAM:
UTM Coordinates: Upstream 4457838 North, 508772 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25948
- Stream : St. Joseph River
- Applicant : Stuart and Paula Barb
1107 Greenleaf Blvd.
Elkhart, IN 46514
- Description : Approximately 119' of the St. Joseph River's eroded north streambank will be stabilized with natural fieldstone rocks/boulders placed over a geotextile fabric to protect the bank from further erosion. The natural fieldstone rocks/boulders will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 4', a maximum streamward projection of 2' beyond the existing bank, and 1:1 sideslopes. Details of the project are contained in information received electronically at the Division of Water on September 22, 2010 and in plans and information received at the Division of Water on
- Location : 1107 Greenleaf Boulevard; along the north bank of the St. Joseph River
near Elkhart, Osolo Township, Elkhart County
Section 4, T 37N, R 5E
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312
IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : NW-77
- Stream : St. Joseph River
- Applicant : Robert Geans Corporation
Brad Geans
PO Box 884
Granger, IN 46530-0884
- Description : An existing timber wall will be removed and replaced with a concrete seawall across approximately 110' of the property owners' frontage. The proposed seawall will measure approximately 4' high and will tie into existing seawalls located on the adjacent properties to the east and west. Riprap will also be placed on the streamward side of the seawall, measuring 2' high and a maximum streamward projection of 6'. In addition, a 3' wide sidewalk will be placed landward from the top of the seawall. Details of the project are contained in information and plans received at the Division of Water on August 23, 2010, September 1, 2010, September 7, 2010, September 17, 2010 and September 21, 2010.
- Location : 327 Manchester Drive; along the south (left) riverbank approximately 110' upstream of the Twin Bridge Dam, extending 145' at Mishawaka, Penn Township, St. Joseph County
Section 12, T 37N, R 3E, South Bend East Quadrangle
Quad Code: 4108662
UTM Coordinates: Downstream 4613152 North, 572719 East
- Statute/Rule : Navigable Waterway Act, IC 14-29-1, with the associated Navigable Waterway Rule, 312 IAC 6

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21613

Lake : Big Chapman Lake

Applicant : Phyllis M Terman
4834 South 800 E-92
Fort Wayne, IN 46818-9201

Description : A concrete seawall will be refaced with a layer of concrete across 167' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on September 3, 2010.

Location : 23 EMS Lane C17B

near Warsaw, Plain Township, Kosciusko County
Section 25, T 33N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4570654 North, 601726 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21614

Lake : Lake George

Applicant : David Venderley
1126 Sunset Lake Cove
Fort Wayne, IN 46845-9009

Description : A new concrete seawall will be constructed across 204' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. A 50' by 30' underwater beach will be constructed across 50' of the applicant's 204' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on September 7, 2010.

Location : 160 Lane 130 B

near Fremont, Jamestown Township, Steuben County
Section 14, T 38N, R 13E, Kinderhook, MI-IN Quadrangle
Quad Code: 4108571
UTM Coordinates: Downstream 4624402 North, 666182 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21615

Lake : Snow Lake

Applicant : Michael J Hatfield
13010 Denton Hill
Fort Wayne, IN 46845-9185

Description : A concrete seawall will be refaced with a layer of concrete across 90' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on September 8, 2010.

Location : 235 Lane 880
near Fremont, Jamestown Township, Steuben County
Section 27, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4621264 North, 664298 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21621

Lake : Jimmerson Lake

Applicant : Cindy L Thomas
10825 Millstone Drive
Fort Wayne, IN 46818-8704

Amy Etzler
10825 Millstone Drive
Fort Wayne, IN 46818-8704

Description : A new bioengineered seawall will be constructed across 39' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 13, 2010.

Location : Lot 73 in Jimmerson Shores
near Angola, Jamestown Township, Steuben County
SE¼, Section 30, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4620245 North, 660332 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21627

Lake : Big Long Lake

Applicant : David A Jefferies
9165 East 530 South
Wolcottville, IN 46795-8790

Description : Add approximately 4" thick washed pee gravel to me existing beach area 35' wide and 30' into the lake Details of the project are contained in information received electronically at the Division of Water on September 20, 2010 and in plans and information received at the Division of Water on

Location : 9165 East 530 South; Lots 1 and 2 in Two Indians Addition
near South Milford, Milford Township, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21629

Lake : Tippecanoe Lake

Applicant : Brian Oaks
6 Ems T 21 Lane
Leesburg, IN 46538

Description : A new seawall will be constructed across 37' of the 37' frontage of the applicant along Tippecanoe Lake to deter shoreline erosion. The wall will consist of reinforced concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 13" to 30" from the base to the top. The lakeward face of the wall will be at the legal shoreline. Details of the project are contained in information received electronically at the Division of Water on September 22, 2010 and in plans and information received at the Division of Water on

Location : 6 EMS T21 LN
near Leesburg, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11