

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25883

Stream : Alexandria Creek

Applicant : Sandra Clabaugh
1208 South Harrison
Alexandria, IN 46001-2642

Description : Bank stabilization is proposed along the left (south) bank for approximately 155'. Along the right (north) bank a fence will parallel the creek for approximately 95' and will be perpendicular for approximately 55'. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on July 26, 2010, August 6, 2010 and September 22, 2010.

Location : At the South Harrison Street stream crossing and extending approximately 155' near Alexandria, Monroe Township, Madison County
Section 24, T 21N, R 7E, Alexandria Quadrangle
Quad Code: 4008536
UTM Coordinates: Downstream 4456534 North, 612714 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25928

Stream : Kankakee River

Applicant : Indiana Department of Transportation
Daniel Corbin
315 East Boyd Boulevard
PO Box 429
LaPorte, IN 46350-0429

Description : The proposed mitigation site for the US 35 bridge replacement project includes the development of approximately 3.38 acres of forested and emergent wetland habitat. In addition to the development of the emergent and forested wetland habitats, approximately 1.04 acres of prairie buffer will be developed at the site. The buffer will consist of a water retention berm which will provide hydrology to the mitigation site. The 400' long berm will be constructed with material excavated onsite and will have a maximum height of 3.5' above grade, a maximum top width of 8', and a maximum slope of 4:1. The buffer will also include a maximum width of approximately 125' along the east side of the proposed wetland and a maximum width of 30' along the US 35 roadway. Additionally, an outlet control structure will be placed across the berm and will flow into a overflow spillway. Details of the project are contained in information and plans received at the Division of Water on August 27, 2010.

Location : Beginning 175' downstream of the US 35 stream crossing and extending approximately 650' along the right (east) streambank and 975' east
DOWNSTREAM: near LaPorte, Union Township, LaPorte County
Section 27, T 35N, R 2W, Kingsford Heights Quadrangle
Quad Code: 4108646
UTM Coordinates: Downstream 4588482 North, 531240 East
UPSTREAM:
UTM Coordinates: Upstream 4588653 North, 531360 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25930
- Stream : South Fork Wildcat Creek
- Applicant : Kreager Brothers Excavating Incorporated
Jerry L Kreager
3020 Sagamore Parkway North
Lafayette, IN 47904
- Description : A temporary access road will be constructed in order to reach a proposed retention pond that is not located in the floodway. Fill will be placed on the temporary access road for a maximum of one year and be removed when the project is completed. Details of the project are contained in information and plans received at the Division of Water on August 30, 2010, September 28, 2010 and September 29, 2010.
- Location : Located approximately 250' west and 750' south of the South 750 East and East 200 South intersection
DOWNSTREAM: near Dayton, Sheffield Township, Tippecanoe County
Section 4, T 22N, R 3W, Lafayette East Quadrangle
Quad Code: 4008647
UTM Coordinates: Downstream 4470693 North, 520202 East
UPSTREAM: near Dayton, Sheffield Township, Tippecanoe County
Section 4, T 22N, R 3W, Lafayette East Quadrangle
Quad Code: 4008647
UTM Coordinates: Upstream 4470693 North, 520202 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25931

Stream : Brandywine Creek

Applicant : Greenfield Parks and Recreation
Tracy Doyle
280 North Apple Street
Greenfield, IN 46140-2656

Description : A 2900' multi purpose trail will be constructed and approximately 1175' are located in the floodway. Details of the project are contained in information and plans received at the Division of Water on August 30, 2010.

Location : Beginning approximately 145' west and 230' south of the Apple Street and US 40 intersection and extending approximately 4300' south
DOWNSTREAM: near Greenfield, Center Township, Hancock County
NW¼, Section 32, T 16N, R 7E, Greenfield Quadrangle
Quad Code: 3908577
UTM Coordinates: Downstream 4403362 North, 606477 East
UPSTREAM:
UTM Coordinates: Upstream 4404670 North, 606537 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25947
- Stream : North Fork Prairie Creek
- Applicant : Indiana Department of Transportation
Stephen C Sperry
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2228
- Description : New bridges will be constructed over North Fork of Prairie Creek and an Unnamed Tributary of North Fork of Prairie Creek to carry the proposed Interstate 69 across each stream. The Prairie Creek structures will be a pair of two span continuous composite prestressed concrete beam bridges with two spans at approximately 109'-0" each. Each structure will have a total length of approximately 222'-0" (note: due to curvature of the bridges the dimensions vary slightly for each bridge). The northbound bridge will provide a clear roadway of 40'-4" and the southbound bridge will provide a clear roadway of 41'-6" with a distance of 42'-6" between each bridge. The approach roadways will be raised by approximately 10' near the bridges. The Unnamed Tributary structures will be a pair of single span composite prestressed concrete beam bridges with a single span of 58'-6" each. Each structure will have a total length of approximately 61'-6". Each bridge will provide a clear roadway of 40'-4" with a distance of 45'-8" between each bridge. The approach roadways will be raised by approximately 9' near the bridges. There will be three additional overflow relief structures consisting of an 8'x4' concrete box approximately 210' in length and two 3' diameter pipes each approximately 190' long that will only be utilized during large flood events. The spill through abutments for both bridges will have 2:1 sideslopes armored with revetment riprap. The project is partially federally funded (INDOT Des No. 0902231). Details of the project are contained in information received electronically at the Division of Water on September 22, 2010 and in plans and information received at the Division of Water on
- Location : North Fork Prairie Creek; approximately 2670' downstream of the County Road 450 East stream crossing, Unnamed Tributary North Fork Prairie Creek; approximately 1500' downstream of the County Road 450 East stream crossing near Plainville, Bogard Township, Daviess County
Section 29, T 4N, R 6W, Montgomery Quadrangle
Quad Code: 3808761
UTM Coordinates: Downstream 4288550 North, 491954 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25951
- Stream : Blue River
- Applicant : Whitley County Drainage Board
Steve Sickafoose
County Government Center
220 West Van Buren Street Suite 203
Columbia City, IN 46725-2056
- Description : The Blue River will be realigned to provide a smooth curve with a radius of 1,105' and a bottom width of 15'. Existing bank slopes vary from 3:1 to 0.5:1. The realignment will provide 3:1 continuous slopes to be stabilized with a standard ditch bank mix of grasses not to include high endophyte tall fescue. The total cut volume, 3,139 cubic yards, exceeds the total fill volume, 3,109 cubic yards. The cross sectional area at the beginning, 595 square feet, and at the end, 579 square feet, of the project are less than the proposed cross section, 612 square feet. Details of the project are contained in information received electronically at the Division of Water on September 24, 2010 and in plans and information received at the Division of Water on
- Location : Approximately 600' north of the confluence of the Blue and Eel Rivers near Columbia City, Columbia Township, Whitley County Section 22, T 31N, R 9E, Beaver Reserve, Laud Quadrangle Quad Code: 4108514
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-25953
- Stream : Wabash River
- Applicant : Jenny A Miller
Jim Barnes
20 North 6th Street
Lafayette, IN 47901-1412
- Description : Approximately 50' of Wabash River eroded east (left) streambank will be stabilized with dumped riprap to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 13', will not project beyond the existing bank, and require approximately 1:1 sideslopes. Details of the project are contained in information received electronically at the Division of Water on September 28, 2010 and in plans and information received at the Division of Water on September 28, 2010.
- Location : Beginning approximately 3,000' south (downstream) of US 52 on the east (left) bank of the Wabash River, continuing south approximately 50' to a point approximately 800' north of the south boundary line of the Lafayette Municipal Golf Course
near Lafayette, Fairfield Township, Tippecanoe County
Section 17, T 23N, R 4W, Lafayette West Quadrangle
Quad Code: 4008648
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25954

Stream : Clark Ditch

Applicant : Hendricks County Board of Commissioners
John E Ayers
355 South Washington Street
Room 209
Danville, IN 46122-0051

Description : The substructure and concrete slopewalls of Hendricks County Bridge No. 235, a three-span concrete slab bridge, on Stafford Road over Clarks Ditch will be repaired due to erosion and failed pier pile concrete encasement. Portions of the existing concrete slopewall will be removed and replaced with revetment riprap over geotextiles. The extents of the new riprap will extend to five feet beyond the existing slopewall downstream and ten feet beyond existing slopewall upstream. A riprap toe will be added in front of the existing slopewall the entire length of the riprapped area (approximately 59' west bank and 68' east bank). Portions of failed 2'-0" round pier pile encasement (9 piles per pier) will be removed and a new 4'-3" tall, 2'-0" wide, 45'-9" long concrete wall placed to connect the pier piles with a single concrete wall. The wall will be approximately centered around the low water line, will have a round nose and will not reduce the waterway area of the bridge. The east concrete bridge approach will be replaced and the approach roadway will not be raised. The superstructure repairs will be limited to south coping repair and approximately 15' of north approach sidewalk replacement. Details of the project are contained in information received electronically at the Division of Water on September 28, 2010 and in plans and information received at the Division of Water on

Location : At the Stafford Road creek crossing
near Plainfield, Guilford Township, Hendricks County
Section 36, T 15N, R 1E, Bridgeport Quadrangle
Quad Code: 3908663

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-25957

Stream : Ohio River

Applicant : Indiana-American Water: Jeffersonville
Sachin G Pradhan, EIT
555 East County Line Road, Suite 201
Greenwood, IN 46143-1064

Description : Installation of a new well on the Ohio River. Details of the project are contained in information and plans received at the Division of Water on September 3, 2010.

Location : 2423 Middle Road, Babb Wellfield, Well #18; approximately 1000' south and 100' east of the intersection of Utica Pike and Riverview Drive
at Jeffersonville, Jeffersonville Township, Clark County
Clark Military Grant #5, Jeffersonville, IN-KY Quadrangle
Quad Code: 3808536
UTM Coordinates: Downstream 4239390 North, 614900 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : PL-21622

Lake : Old Lake

Applicant : John Wise
6535 North 350 West
Columbia City, IN 46725-8177

Description : An existing drainage tile will be replaced. Details of the project are contained in information and plans received at the Division of Water on September 15, 2010.

Location : 6608 North 350 West
near Columbia City, Etna-Troy Township, Whitley County
Section 1, T 32N, R 8E, Ormas Quadrangle
Quad Code: 4108535
UTM Coordinates: Downstream 4568527 North, 621161 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21624

Lake : Wabee Lake

Applicant : Town of Milford
Dallas L Winchester
PO Box 300
Milford, IN 46542-0300

Description : A new glacial stone seawall will be constructed across 350' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 17, 2010.

Location : At Town of Milford Park
near Milford, Van Buren Township, Kosciusko County
Section 16, T 34N, R 6E, Milford Quadrangle
Quad Code: 4108547
UTM Coordinates: Downstream 4583208 North, 597347 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21626

Lake : Jimmerson Lake

Applicant : Michael and Marci Warner
1600 Brook Court
Ossain, IN 46777-9047

Description : A new bioengineered seawall will be constructed across 43' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 20, 2010.

Location : Lot 74 of Jimmerson Shores
near Angola, Jamestown Township, Steuben County
Section 30, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4620254 North, 660330 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21628

Lake : Tippecanoe Lake

Applicant : Donald E Frantz
129 EMS T45 Lane
Leesburg, IN 46538-9195

Description : A new straight glacial stone seawall will be constructed across 36' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The new wall will connect with existing concrete seawalls at both ends in a straight manner. Details of the project are contained in information and plans received at the Division of Water on September 17, 2010.

Location : 125 and 129 EMS Lane T45
near North Webster, Tippecanoe Township, Kosciusko County
SE¼, Section 7, T 33N, R 7E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4575683 North, 604542 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21630

Lake : Goose Lake

Applicant : David L and Linda S Walker
2935 West 350 South
Columbia City, IN 46725

Description : A new glacial stone seawall will be constructed across 45' of the applicant's frontage. In addition, a new glacial stone seawall will be constructed across 10' on an adjacent easement. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 22, 2010.

Location : 3385 Shoreline Drive
near Columbia City, Etna-Troy Township, Whitley County
Section 12, T 32N, R 8E, Lorane Quadrangle
Quad Code: 4108525
UTM Coordinates: Downstream 4566639 North, 621042 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water
30 Day Public Notice Report

Application # : PL-21631

Lake : Simonton Lake

Applicant : Andrew W Place
1620 Ironwood Drive
South Bend, IN 46635-1893

Description : A new steel sheet piling seawall will be constructed across 45' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on September 22, 2010.

Location : 25912 North Shore Drive
near Elkhart, Osolo Township, Elkhart County
Section 9, T 38N, R 5E, Adamsville, MI-IN Quadrangle
Quad Code: 4108578
UTM Coordinates: Downstream 4623006 North, 586401 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21632

Lake : Blue Lake

Applicant : Robert and Linda Allman
6575 East Harrold Road
Churubusco, IN 46723-9767

Description : A 20' by 20' underwater beach will be constructed across 20' of the applicant's 150' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on September 22, 2010.

Location : 6575 East Harrold Road; Lots 1 and 2 in Frank Harrolds Third Addition
near Churubusco, Smith Township, Whitley County
Section 15, T 32N, R 10E, Churubusco Quadrangle
Quad Code: 4108523
UTM Coordinates: Downstream 4566078 North, 636837 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water
30 Day Public Notice Report

Application # : PL-21634

Lake : Bower Lake

Applicant : Ricky N Frost
3603 Drexel Drive
Toldeo, OH 43612-1232

Description : A new seawall will be constructed along the 50' frontage of the applicant on Big Bower Lake to deter shoreline erosion. The wall will be composed of 8" to 15" diameter and will be approximately 20' long. Its lakeward face will be at the legal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on September 30, 2010 and in plans and information received at the Division of Water on

Location : 2985 Scotty Drive
near Angola, Pleasant Township, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11